



P

Paulmann



Veya 48 V Track System

Light. Simple. Stylish.

Customised design simply clicked



Veya 48 V Track System

Customised design simply clicked

The Veya track system is the ideal solution for your stylish and flexible lighting ideas. The minimalistic, **extra-flat rail** blends harmoniously into any living space. Thanks to **tool-free click-on installation** you can **easily attach and shift** spots, pendant luminaires and light bars on the rail **into the position of your choice**.

Installation is flexible on the **wall or ceiling**. **High-quality aluminium** in elegant black matt gives the system a modern, elegant look.

Whether you prefer to put together your system individually or start off with a convenient basic set: **Veya adapts to every room situation** and creates impressive light accents with only one power outlet.

Conveniently switch your entire system using the wall switch (On/Off) or select specific luminaires with the special **white light control** (tunable white function) and **dimming function**. Using the remote control, you can create your perfect lighting atmosphere with variable dimming, from warm white to daylight white.



Get the Look: 1x Cable Feed 95721, 7x Track 1 m 95722, 2x L-Connector 95723, 4x I-Connector 95724, 1x Pendulum Lyros 95734, 1x Remote Control 95736, 3x Spot Zenor 95738, 3x Lightbar Jorin 95739, 1x Lightbar Lensia 95740



Get the Look: 1x Cable Feed 95721, 11x Track 1 m 95722, 1x L-Connector 95723, 7x I-Connector 95724, 1x T-Connector 95726, 2x Lightbar Jorin 95727, 2x Lightbar Jorin 95728, 3x Pendulum Lyren 95733, 4x Spot Zenor 95737



It's so easy to plan your customised Veya track system

The choice is yours:

Start off very easily with our convenient basic set – this contains everything you need to get started: two rails, two connectors and one power infeed. This allows you to get going right away and expand your system gradually.

Or you can directly put together your individual system for yourself.

Choose from:

- 1 m long rails,
- Connectors for custom shapes (for ceiling or wall mounting),
- Luminaires such as spots, pendant luminaires or light bars

When selecting the luminaires, you decide how you would like to control your system:

- Classic control via the wall switch (On/Off),
- In addition to the wall switch, via remote control if you select luminaires with white light control (tunable white function) and dimming function. This allows you to create your own custom lighting atmosphere, from cozy warm white to lively daylight white.

Tip: When choosing the luminaires, make sure to select your preferred control option.

Veya basic set

The set contains two rails, one I connector and one L connector as well as a power infeed. Combine the basic set with matching luminaires for your own personal lighting solution!



Basic Set

max. 100 W
230 V/48 V, incl. \approx 100 VA
 \varnothing 30 \Leftrightarrow 380 \varnothing 24 mm \Leftrightarrow 1.47 m
Aluminium/Plastic
95735

Veya power infeed

You can connect the power infeed at any point on the system – the 1 m connection cable to your power outlet provides you with flexible mounting options.

The ceiling canopy is included in the delivery.



100 W Cable Feed

max. 100 W
230 V/48 V, incl. \approx 100 VA
 \varnothing 30 \Leftrightarrow 380 \varnothing 24 mm \Leftrightarrow 1.47 m
Aluminium/Plastic
95721

Veya rails

The rails are extremely flat with an installation height of just 6 mm and can be trimmed independently as needed. Overall, a system length of up to 24 m is possible. End caps are included with every rail.



Track 1 m

DC 48 V
36 \varnothing 24 mm \Leftrightarrow 1.03 m
Aluminium/Plastic
95722

Veya connector

The connector pieces between the rails ensure total flexibility and allow for individual shapes. They blend seamlessly into the system and can be fastened easily via plug-in installation.



L-Connector

DC 48 V
 \varnothing 6 \Leftrightarrow 44 \varnothing 44 mm
Plastic
95723



I-Connector

DC 48 V
 \varnothing 6 \Leftrightarrow 35 \varnothing 24 mm
Plastic
95724



Wall-Ceiling Connector

DC 48 V
 \varnothing 16 \Leftrightarrow 20 \varnothing 24 mm
Plastic
95725



T-Connector

DC 48 V
 \varnothing 6 \Leftrightarrow 54 \varnothing 34 mm
Plastic
95726

Veya luminaires (not dimmable)

Lightbar Jorin

incl. 1x 5 W, 650 lm, 3000 K
DC 48 V
⌀30 ⇄131 ↗24 mm
Aluminium/Plastic
95727

Lightbar Jorin

incl. 1x 10 W, 1250 lm, 3000 K
DC 48 V
⌀28 ⇄257 ↗24 mm
Aluminium/Plastic
95728

Lightbar Flex

incl. 1x 11.5 W, 1150 lm, 3000 K
DC 48 V
⌀54 ⇄257 ↗24 mm
Aluminium/Plastic
95731

Lightbar Lensia

incl. 1x 6 W, 560 lm, 3000 K
DC 48 V
⌀30 ⇄131 ↗24 mm
Aluminium/Plastic
95729

Lightbar Lensia

incl. 1x 11.5 W, 1150 lm, 3000 K
DC 48 V
⌀28 ⇄257 ↗24 mm
Aluminium/Plastic
95730

Spot Zenor

incl. 1x 7.5 W, 900 lm, 3000 K
DC 48 V
⌀173 ⇄131 ↗24 mm
Aluminium/Plastic
95737

Pendulum Lyren

incl. 1x 5 W, 600 lm,
3000 K, DC 48 V
⌀1200 ⌀60–120 cm
⇄131 ↗24 mm
Aluminium/Plastic
95733

Pendulum Lyros

incl. 1x 5 W, 640 lm,
3000 K, DC 48 V
⌀1200 ⌀20–120 cm
⇄131 ↗24 mm
Aluminium/Plastic
95734

Spot Zoom

incl. 1x 5 W, 640 lm, 3000 K
DC 48 V
⌀161 ⇄131 ↗24 mm
Aluminium/Plastic
95732

Veya luminaires (dimmable & white light control via remote control)

Lightbar Jorin

incl. 1x 10 W, 1500 lm,
2700–6500 K, DC 48 V
⌀28 ⇄257 ↗24 mm
Aluminium/Plastic
95739

Lightbar Lensia

incl. 1x 10 W, 1000 lm,
2700–6500 K, DC 48 V
⌀28 ⇄257 ↗24 mm
Aluminium/Plastic
95740

Spot Zenor

incl. 1x 7.5 W, 800 lm,
2700–6500 K, DC 48 V
⌀173 ⇄131 ↗24 mm
Aluminium/Plastic
95738

Pendulum Lyren

incl. 1x 5.2 W, 500 lm,
2700–6500 K, DC 48 V
⌀1200 ⌀60–120 cm
⇄131 ↗24 mm
Aluminium/Plastic
95741

Veya remote control

Remote Control

⌀140 ⇄45 ↗18 mm
White Plastic
95736

With the remote control, you can use **variable dimming** and adjust the colour temperature of all compatible luminaires from warm white to daylight white. The luminaires can be distributed into four groups and controlled together or individually.

Convenient fast buttons enable direct access to dimming levels (10%, 20%, 50%, 75%) and colour temperatures. There is also a timer function that automatically switches off the light after 10, 20, 30 or 60 minutes.



On/Off

Switching on and off
via wall switch



Dimmable

Continuously variable
dimming without changing
the light colour



Tunable white

White light control
via remote control



How to plan your own system even more easily

We have prepared a small checklist for you:

Requirements	Item	
Your power infeed	1x Power supply (95721) <i>Please note the maximum wattage of 100 W!</i>	
How many metres of rail do you need?	__ x 1 m rail (95722)	
Select your connector for ceiling or wall mounting:	__ x L-Connector (95723) __ x I-Connector (95724) __ x Wall-Ceiling Connector (95725) __ x T-Connector (95726)	
Which Veya luminaires would you like?	__ x Light bar Jorin (95727), 5 W __ x Spot Zoom (95732), 5 W __ x Light bar Jorin (95728), 10 W __ x Spot Zenor (95737), 7.5 W	
Not dimmable...	__ x Light bar Lensia (95729), 6 W __ x Pendulum Lyren (95733), 5 W __ x Light bar Lensia (95730), 11.5 W __ x Pendulum Lyros (95734), 5 W __ x Light bar Flex (95731), 11.5 W	
...or dimmable & white light control via remote control?	__ x Spot Zenor (95738), 7.5 W __ x Light bar Lensia (95740), 10 W __ x Light bar Jorin (95739), 10 W __ x Pendulum Lyren (95741), 5.2 W	
To control your luminaires with tunable white and dimming functions, you need a remote control.	<input checked="" type="checkbox"/> Remote Control (95736)	



Scan the QR code and discover the inspiring product video that shows you how you can make the best use of our system!
www.paulmann.com/veya-flyer-yt/

www.paulmann.com

Paulmann Licht GmbH | Quezinger Feld 2 | 31832 Springe/Germany